G. R. S. 59] GPB—15,000 20 12 13

GENERAL AND REVENUE SECRETARIAT.

191 .

(Muzaffarnagar)

File No. 10 – 1895

Serial Nos. – I

Papers Filed.

*Month*_____

SUBJECT.

Sanction to repairs to the Mitawali Math building at Kharaj

PREVIOUS REFERENCES.	LATER REFERENCES.
	LR 326–40–(1–2)

MUZRAI DEPARTMENT.

OFFICE NOTE.

SUBJECT:— Repairs to the Sri Uttaradi Math building at Holenarasipur

LAST REFERENCE.

Letter No. dated

form

The Sri Uttaradi Math building at Holenarasipur is in a state of utter disrepair. An Estimate for repairing it was called for; and the Deputy Comr of Hassan submitted two alternative Estimates - one for Rs. 4,856- and the other for Rs. 19,745/- for repairing the Institution Both the Deputy Commissioner

and the Ex: Engr of Hassan were of opinion that both the works, if carried out, would be only makeshift arrangements.

The Chief Engineer was thereupon written to under the orders of the Dewan who preferred the Estimate for Rs. 19,745/- as it was calculated to make the building safe & sound without making any alteration in the existing design of the building, and he was requested to advise Govt as to the best course to be followed, after examining the plans and Estimates carefully.

The Chief Engineer now states that it

will be sufficient
to carry out for the
present the smaller
project of Rs 5,066
(the original one ~~being~~ having been
for Rs 4856 ~~and~~ since
corrected to Rs 5066 by
the Supt. Engr. W. Circle)
which will make the
building last for
many years. And,
as regards the larger
project it is said
that such a large
outlay on repairs and
adaptation of an old
unsatisfactory building
cannot be recommended.

As the building

is in imminent danger,
the Chief Engr advises
that whatever project
is decided to be carried
out, it should be
taken in hand at once -

The Moti Mahal
is under Govt management -
has at its credit about
Rs 20000/-

Submitted to the Finance
Sec Secretary

When everything relating
to the Moti is in an
unsatisfactory condition
it is perhaps sufficient
to sanction the smaller
estimate for Rs. 5000 as mentioned.

11/3/22

3724

Yes - Shall we
carry out the work -
window opening?

12.III.22

( ) 13/3/22

Subject as reply to the Demand given on the preceding page.

The work had better be entrusted to the P.W. Deptt who know the present defect and must be held responsible for doing substantial work.

The cost will be met from the savings on the hands of the Govt out of the Cash Tender which is being stopped for some years past.

One point which has struck me with regard to this matter is that perhaps the Matt Authorities may throw obstacles in the way of work being executed by Govt on the Matt building. May a Niggapara Petition be sent to the Swami informing the Relieves of the action taken by Govt under the pressing urgency of the case?

3789/RD 14.3.02

Yes - Urgent 14/3/02

The matter is under consideration

15 III .02

Note continued

P. T. O

Note continued =

The Estimate amounting to Rs 5,066/- for repairing the Sri Uttaradi matt buildings at Hole Narasipura was sanctioned and the work was entrusted to the P. W Department

The Chief Engineer in his letter no 1098 dy 28th Feby 1903 states that the Executive Engr., Hassan Division submitted a revised Estimate for Rs 12,140/- for the work, explaining

X Govt Pro: No 1487-9 mwz 7-10-95 dy 24th March 1902

that the excess amount
was necessary as it
was impossible to foresee
the extra items provided
for until the buildings
had been dismantled.
The Chief Engr returned
this project and requested
Mr Nagarkar, Superintending
Engr W. Circle, to re-
-submit the same
with a report after
his personal inspection
as the Ch: Engr was
not satisfied that
it was not possible
to foresee (i) the rottenness
of

of the timber and planking (ii) that the rates were not too high in many cases and (iii) to report whether it was not quite feasible to have foreseen many of the new items.

In reply to the above the Superintending Engr. Mr. Nasar Khan reports* (1) that under roofing Rs 896 are required in excess on account of better class of work carried out; (2) that under wood work and planking

* No. 617 dy 12th Feb: 1903

fresh provision amounting to Rs 1,907 was found necessary during execution of the work. This item was, he reports, entirely unforeseen as it was discovered after the removal of the mud floor (roof?), that several beams and joists were rotten and required to be replaced by new wood; (3) that on account of planking the ceiling a sum of Rs 804 plus Rs 468 for nailing is necessary.

~~for replacing the rotten wood~~

(4)

(4) that under mud walls an excess of Rs 195 is necessary to replace the Thadaki mud walls ~~with~~ by mud walls to firmly support the roof; (5) that after ~~the~~ his (the Supt. Engrs) inspection a saving of Rs 548 will be made in burnt brick in mud; (6) that a sum of Rs 842 is required to admit of more substantial repairs being carried out such as repairs to the Balcony & the temple which must be

Carried out sooner or later; (7) that a sum of Rs 276 has been provided for in excess on account of 12 teakwood windows to admit of more light and ventilation and Rs 100 for sanitary shade of the building and (8) that a provision of Rs 246 against Rs 500 has been made to cover the pay of the temporary mistri & watchman employed by the Ex: Engr.

= The Superin.g Engr solicits sanction to the revised Estimates.

The

The Chief Engineer requests that under the explanation now furnished, Govt. may be pleased to sanction the revised project. He adds that there is no way of reducing the cost, the work is in progress and Rs 4500 has already been incurred. He promises to submit the report called for in the Dewans note of 2nd May last regarding the settlement of the claims of the original contractor

for the work soon.

The excess as per present revised Estimate is Rs 4,624 over and above the sum of Rs 5,066 already sanctioned, the total outlay on the work amounting to Rs 9,690/-. As already pointed out, the amount at the credit of the matt is about Rs 28,000/-

Submitted to the Dewan

hs 5/3/03 The estimate has now doubled itself. Nearly Rs 5000/- have been already spent, and there seems to be no alternative but to sanction the revised Estimate. 7/3/03

887/ dt 9.3.03

Note: Continued

Yes - that may (not?) be done
Since Building Supervisor
Deputy Executive Engineer
Cyclone Relief Project
and are only to
work forwarded by
me a few days.

10.III.03

Asst EE 12/3/03

Note Continued: ———

Orders were accordingly issued in Govt. Gr no 1877-9 dated 16th aug Gr 10-95 March 1903 —

The Dy Comr of Hassan having inspected, (in February last) the Sri Uttaradi Math building, ~~now under repairs, & Kalamandiram,~~ observes that certain improvements have to be carried out to the building in view to & meet the Sanitary requirements as well as the convenience of those that are to occupy the buildings He accordingly submits two ~~estimates~~ estimates, one for Rs 1182 and the other for Rs 593. These have been prepared by the

X Letter No 606 of 20-6-03.

X

(16)

Executive Engineer
of Hassan and the
Dy Comr solicits
sanction for the
estimates* on the
ground that the
improvements are
necessary and that
they have not been
included in the
revised project
sanctioned in Pro: No. 1877-9 dt 16.3.03
Mun I-10.95
for repairing the
building.

* aggregating Rs. 1775.

A copy of the
Dy Comr's inspection
notes is to be found
in the enclosures to his
letter under reference.

Issue the draft put up
to the Chief Engr
note continued 1/7/04

As directed above

the Chief Engineer was requested to favour Govt. with his opinion as to the improvements suggested to the Sri Uttaradi matt building now under repairs at Hole-narsi-pur. The Chief Engineer's reply is that he has nothing to say against the proposed improvements which seem to him to be desirable.

In the Inspection note the Dy. Commr. proposed to provide for the following items of works:—

(1) ~~Rep~~ Removing the wooden railings of the present Samasthi Brundavana and Converting the

the adjacent ~~Eastern~~ Western rooms into Bathrooms with wooden shelves &c Rs =

(ii) Removing two obstructing steps in the underground and providing new steps

(iii) Removing the old wooden bow-windows & putting an arch round a brick-wall &

(iv) Converting half the arch into an opening to admit of more light to the other half ——

(v) Removing the two which are at present doors on the top of the steps and placing them near the bottom step

(vi) Newly providing about 24 windows for all the dark rooms —

(vii) Knocking down cross

334 not included in the above Rs

cross walls of small rooms and making the rooms bigger

(viii) Repairing the Nagarkhana

(ix) Putting up a compound wall to the north of the moat along side the newly made road.

The Executive Engineer Mrs C. Mahadeva Sastry, who was consulted in the matter by the Deputy Commr, was of opinion that item nos (iv) would involve a heavy[x] outlay and might therefore be omitted. For all the other items of works, his estimates, amounting to Rs 1182[*] and the

[x] Amount Rs 3850

[*] for Items nos 1, 2, 3, 5, 6, 7 & 9.

The other amounting to
Rs 593, have been now
submitted for sanction
the latter estimate being
for item No (8) viz replacing
the ring-mark beam — The
total cost viz Rs 1775
is proposed to be met from
the savings available
at the credit of this work.

If these estimates
are sanctioned the total
outlay will be (Rs 9690 + 1775)
Rs. 11465.

- Submitted for the favour -

16/7/03

An original estimate
sanctioned vide No. 5366
it was subsequently
raised to — — . 9690
it is now sought
for raise of to ——— 11465

If the increase of Rs. 1775 now
recommended, Rs. 593 are for
replacing the "Jagatkhana",
which

which is a new work not formerly contemplated and the remainder (Rs. 1182) is for necessary improvements suggested by the Dy Comm^r

It is a pity that all these improvements were not thought of at the commencement. But as the improvements are strongly recommended by the Dy Comm^r and approved by the Chief Engineer, sanction to both the estimates, amounting to Rs. 17757/- may, it is asked, be given.

We have money in our hands to the extent of nearly Rs. 30,000/- belonging to the Mutt.

11754
27.VII.03

03389
Shamanna
Agraharam
27/7/03

I shall go as soon as possible
703

28.VII.03

Munsif Secretary's Remarks

I was at Holé Narsipur on the 12th and 13th instant, and saw the road in question on both those days. A broad road with high banks has been cut through the compound (hattalu) of the Ottaradi matt buildings, thus separating the main buildings from the major portion of the hattal which contains a well and the old kitchen which last, however, is in ruins. In making this road, not only has the matt land been taken up, but also a portion of the old Taluk Cutcherry buildings taken up and an idol of Ganesa consecrated in it removed to a small house by the side of the new road. There is no doubt

Muzrai Secretary's Remarks

I visited Hole Narsipur on the 12th Instant and inspected the repairs effected to the Uttaradi Matt building on that and the following day Repairs according to the sanctioned estimate of Rs 9690/- have all been completed by Mr. Anandalwar, Asstt Engineer, under the supervision of the Executive Engineer Mr. C. A. Mahadeva Sastri. As there was a complaint that the works were not properly do. I went over there twice, accompanied by the Engineers and also the parties concerned, and found that the works were executed in a very satisfactory manner, considering the amount of the estimate sanctioned. The building has been thoroughly renovated, dark places opened out and rotten and useless timber replaced, and the structure presents a solid and bright appearance. Of course the old main walls have been retained according to the estimate, and the complaining parties freely

admitted before me that the work as per estimate was satisfactorily done. It will be seen that the Deputy Commissioner Mr Devaraj Urs, also states in his letter No. 331, dated 11th January 1904 that the work was well done, and that the complaints brought forward were due to party feeling.

2. Mr Devaraj Urs however, suggested a number of additions and improvements which are specified in pages 17 to 20 of this Note. I have noted in the margin against each of these ~~items~~ works my views as to whether they are necessary or not. Most of them I consider to be unnecessary and not required.

3 An important item, viz., the provision of 24 windows in the rooms at a cost of Rs 589/- is recommended by the Deputy Commissioner. This will no doubt be an improvement, but, as all the mud walls will have to be bored through on account of this work, the proposal seems undesirable. Further, a fair amount of light comes into

the rooms form the large open courtyard of the Matt I think that if on any future occasion all the walls are built of brick at a heavy cost, then occasion may be taken to open out the windows also

4 The re-building of the Nagár-Khána (item no 8) estimated at Rs593/- I think, a necessary work. The Nagárkhana is built on a high mound and is now in ruins. Being situated in the main street, it presents a very unsightly appearance. It is desirable to build a room here and provide a Nagár Khána on the top of it The Chief Engineer may be asked to estimate for the work.

5 It seems also desirable to erect a compound wall (item no 9) to the Matt on the side where the new road has been opened This is estimated at Rs26/- and may be carried out

6. It appears also desirable to clear and level the grounds round the Matt buildings and also to fill up a large pit

situated in it. When this is done, it maybe directed that the two Havalgars on the present Establishment should see that the grounds are kept in good order.

7 Owing to the difficulty of approaching the old well, which has been divided off from the Math buildings by the road newly opened, it is necessary to have a new well in the compound, near the rooms set apart for cooking in the main buildings.

8 The Chief Engineer maybe requested to submit Estimates for all those works which in my humble opinion are desirable.

9 In conclusion I beg very respectfully to point out that so long as the Swamigalu does not take any interest in the Institution, and is not likely in the near future to proceed to Hole Narsipur and reside there, it does not seem necessary to make more elaborate improvements to the Math.

Submitted to the Dewan through the R.Y.

T. Muthaiah Sastri Rao
28/9/04

103
30-9-04

* This matter is dealt with in another file.

G.R.S. 12]

General and Revenue Secretariat. File No. of 190

Serial No.

The remarks appearing in the office note are recommended by the Surveyor General. Assuming the Engineers and posting upon compound wall (items VIII & IX) may be taken on hand after the estimate are received from the Chief Engineer. The Surveyor suggests the clearing and levelling of the grounds around the mutt and also to build upon larger plot. These are evidently an emergency grounds. This may be attended to, the work already done is important to the institution.

The concluding para,

G.R.S. 12]

27

General and Revenue Secretariat. | File No. of 190

Serial No.

of the note enumerated
Under to me.

Submitted to the Secretary 9/10/04

2124
11.10.04

Signed
6.XII.04

Read 8.12.04.

7/12/04

9/12/04

MUZRAI

1901

From

To The Dy Commr
Hassan District

Dated 23rd August 1901.

Despatched

Received

General No. 299 & 300

Muzrai F. No. 10-95

Enclosure No.

It has been brought to the notice of Govt that the Sri Uttaradi matt buildings at Holé Narasipur is in a very dilapidated condition and requires thorough renovation and immediate attention. As the work of repairing the Dharmasala one of urgent necessity

MGCPB—11-1-1901—1500

~~and as otherwise, the~~

~~building is reported~~

~~to come down, the Dy~~
has the honour to request that either the Deputy
Commr., ~~if not~~ or one of
inspect the
his Assistants, ~~will be~~
building at a very early date,
~~requested to inspect it~~
and in consultation
with one of the D.P.W.
Officers, prepare an
for the repairs required
Estimate ~~therefor~~, and
submit it for sanction
of Govt. The Nearing
Officer's certificate, shewing
the exact amount of savings
out of the monthly cash
grant, after deducting the
monthly expenditure of Rs 200-
on account of the Patasala &c
in the matt, should also be submitted early.

By order

(Illegible)

for

No 300

Copy to the Chief Engr for Comg
The Secretary to the Administration
Executive Engr, Kandy Dn
Kandy 15th Dec 1871

~~159~~ 1901—02.

From P. R. W. Wetherall Esquire
Sub Division Officer
in charge of the Hunsur Sub Div.

To L. Anantaswamiah Esq.
Deputy Secretary to the
Government of Mysore
Muzrai Department

Dated 12th Sept. 1901

Despatched 19th do

Received

General No. 1614
No. 8

Enclosure No. 1 Report
2 Estimates
3 tracings
1 Treasury certificate

In reg to No. 299 of 23 8 01.
M 7 10-95

Subdividing for sanction two Estimates for repairs to the Sree Subrahmanya Mutt at Hole Narsipur for Rs.

OFFICE OF THE DEPUTY COMMISSIONER
RECEIVED
Date 20 9 01
REG. No 795
MUZRAI BRANCH

Ordered by the Hon'ble Chief Secretary that the Hand and Estimates be sent to the Executive Engineer for opinion and report as to the urgency of the repairs and the propriety of sanctioning the estimates.

Sd 27/9/01

20/9/01

Refer

Sd

Submitted to the Dewan

Sd
23/9/01

Two estimates for repairing the Bottaradi Mutt at Hole Narsipur have been received one for Rs. 4856 and the other for Rs 19745. Both the works, if carried out, will, it is said, be only makeshift arrangements.

EE
24/9/01

Owing to the stoppage of the cash grant of 526 Rs a month for some years past (out of wh: 200 Rs per measem are spent for puja and for the Sanskrit School) there is an accumulated saving of about Rs. 28000/— in the hands of Govt. The Math however has been asking for the restoration of this amount

EE 10/12/01

No. 1615

Deputy Commissioner's Office
Hassan District
Dated Hassan 12th Sept. 1901
14th

From

P. R. W. Wetherall Esquire
Sub Division Officer
in charge of the Hassan District.

To

L. Anantaswamy Rao Esqr. B.A.
Deputy Secretary to the
Government of Mysore
Muzrai Department.

Sir,

Adverting to your docket no: 299 Muz. 7. no 10-95 dated 23rd August last requesting the submission of an Estimate in regard to the repairs of the Sri Uttaradi Mutt building at Hole-Narsi after inspection of the same either by the Deputy Commissioner or one of his Assistants I have the honor to submit herewith two alternative estimates for Rs 4856 and Rs 19745 together with 2 tracings and a report received from the officiating Executive Engineer, Hassan Division for kind perusal.

Mr. Devaraj has has more tha

than once inspected the condition of the building and had in july last requested the Executive Engineer to favour him with an estimate for urgent repairs after his inspection of the same. He agrees with the Executive Engineer in thinking that both the estimate now sent up will be makeshifts at best as he considers that the construction of a new building will be very desirable. He is of opinion that if a sum of ~~Six~~ or Seven thousand Rupees be added to the proposed alternative larger estimate of Rs 19745/- a neat and commodious building might be constructed making use also of such of the materials in the present building as might be found to be substantial. If this proposal does not commend itself favourably to the Government for the present, I request that sanction may be kindly accorded for immediately proceeding with the repairs of the

the building in accordance with the smaller estimate for Rs 4856/—

As called for in your docket under reply, I also submit herewith the Treasury Officer's Certificate showing the exact amount of savings out of the monthly cash grant after deducting the monthly expenditure.

I have the honor to be
Sir
Your most Obedient Servant

Deputy Commissioner
Hassan District

WAN ...
RECEIVED
18. 9. 01
REG. No. 193
MUZRAI ENGINCH
5077

...sore P.W.D. Central Office

Dated ...galore 14th September 1901

From

W. Chutcri Esquire I

Offg Chief Engineer of ...sore.

To

...anjunday a Esquire ...A., ...,

Secretary to the Government of ...sore,

General and ... Departments.

Sir,

Referring to your No.307 of the 23rd ultimo, I have the honour to inform you that the Executive Engineer, ... Division, reports that two alternative Estimates, one for ... and the other for Rs.19,745, for repairing the Great ... at Male-Marsigur were forwarded on 23rd ultimo, to the Deputy Commissioner ... an District, for transmission to Government for sanction.

I have the honour to be,

Sir,

Your most obedient servant,

W. ... Chutcri

Offg Chief Engineer of ...sore.

B.S.T.

...



DEPARTMENT

From

THE CHIEF ENGINEER
OF MYSORE.

To The Secretary to Govt:
General & Revenue Depth.

Dated Bangalore, 14th September 1901.

Despatched

No. 50177

Enclosure No.

Subject.

Informing that the Ex. Engr: Hassan has submitted estimates to the Deputy Commissr Hassan &c. for repairing the Sree Ettaradi Inatt Building

Submitted
&
23/9/01

muzrai
&
16-9-01

Mysore.

No. 934 Dt
Mys F 10-95
28/12/01

To,

The Chief Engineer
of Mysore

Sir, I am directed to invite your attention to your letter no. 5577 dt 14th September last, stating that the Executive Engineer of the Hassan Division had forwarded to the Dy Commr of Hassan, two alternative Estimates for Rs 4856/- and Rs 19,745/- for repairing the Sri Uttaradi Matt building at Holé Narasipur.

2. I am desired to forward herewith the two Estimates in question together with the Report and tracings accompanying them, and to state that in the opinion of the Dewan, the larger

Estimate for Rs 19,745/- is probably to be preferred as calculated to make the building safe and sound, without making any alteration in the existing design of the building. But, before passing final orders, I am desired to request the favor of your kindly examining the plans and estimates carefully and advising Govt as to the best course to be followed.

3. I am to request that the enclosures may be returned with your reply.

I have &c

(by command)

By Secretary
Munzeh Deptt

Remainder

MUZRAI

1901 2

From

To The Chief Engineer
of Mysore

Dated 6th
Despatched 7th February 02
Received
General No. 1183
Muzrai F. No. 10-95
Enclosure No.

His office No. 934
Muz 710 9
dated 28th December 190
forwarding two alternate
Estimates with tracing
and the report of the Ex
Engineer, Hassan, Division, relative
the repairs to the Sri
Uttaradi Mutt building
at Hole-Narsipur, and
requesting the favour of
his examining the
plans and the Estimates
and advising Govt
as to the best course
to be followed.

MGCPB—11-1-1901—1500

Hd

Have the honour to
invite his attention
to the above and to
request the favour
of ~~his~~ an early reply

By order

[illegible] 6/2/12

Deputy Secretary
Treasury Dept

RECEIVED
Date 5-3-02
REG. No 5793
ZRAI BRA

5/3/02

(General Serial No. 30)

1902

From
The Chief Engineer
Zeilpore

To
The Deputy Secretary to Govt
Mahratti Deptt

Dated 4th March 1902

Despatched

Received

General No 1265. } 1902.

Enclosures Number

Copy of letter
2 Estimates
1 Report
3 Drawings

Submitted for orders
with minimum expenses

Commencing the views of the Chief Engineer on the alternative estimates for repairing the Sir Ettaradi Matt Building at Hotel Narsapur

Js
5/3/02

From P.W.D. Cent[illegible] Of

1265. Dated Bangalore 4th March 1902.

To

C[illegible] J. Mc I Campbell,

C[illegible] of Mysore.

T

L A[illegible] R[illegible] F[illegible] B.A.,

Deputy Secretary to Government, Luzrai Department.

Sir,

With reference to your letter No.734/[illegible] 10,05 dated [illegible] December last, forwarding for examination and advice, the alternative estimates for Rs.[illegible],05 and Rs.10,74 for repairs to the Sri Uttaradi Matt building at Hole-Narsipur, I have the honour to forward the enclosed copy of the Superintending Engineer's letter No.760 dated 27th ultimo, and to inform you that I concur in the recorded opinion of Mr. Mc Dick that it would be sufficient to carry out for the present the project of Rs.5,00[illegible], which will make the building [illegible] for [illegible] years. I observe from para 2 of your letter under reference that the Devaru prefers the large project of Rs.10,[illegible], calculated to make the building safe and sound without making any alteration in its existing design, but the latter states (vide para III of Report on Estimate) that such a large outlay on repairs and additions of such [illegible] cannot be recommended. It would be preferable to construct an entirely new building, if funds are available.

II. The Building is not in imminent danger as reported by the Executive Engineer, it is advisable that whatever work is decided to be carried out should be taken in hand at once.

III. Enclosures are returned.

I have the honour to be

Sir,

Your most obedient servant

Colonel

Chief Engineer of Mysore.

(General Serial No. 30.)

1902

From

The Superintending Engineer
Western Circle

To

The Chief Engineer
& Mysore

Dated Bangalore 27th February 1902

Despatched

Received

General No. 790 — } 190
No.

Enclosures Number.

Sir,

With reference to your No. 124 dated 8th ultimo I have the honor to return the alternative Estimates for repairing the Sri — Uttaradimutt building at Hole Narsipur duly checked in this office and to inform you that Mr. Mc Hutchin who has gone through the projects recorded his opinion that there would be no real

necessity to carry out more than the work provided for in the smaller Estimate (Rs 5066, as corrected in this office, at present, which would from the report appear to be all that is required to make the building last for many years, but on which he cannot of course give a definite opinion without a personal inspection of the building.

II The smaller Estimate as submitted by the Executive Engineer, amounted to Rs 4,856 and as corrected Rs 5,066. The rates provided for the undermentioned items are high compared with those sanctioned for other building works in the locality as noted below. The rates provided have been allowed to stand pending explanation from the Executive Engineer.

III The Deputy Secretary's letter with its enclosures received with the letter under reply are herewith returned.

I have &c

(Sd) A. J. de Lotbiniere
Capt RE
Superintending Engineer
Wes.

	per	as sanctioned for other works in the locality			as per Ex Engr's Estimate		
Teak wood work new	cft	3	4	-	3	8	-
Brick in chunam	cft	-	3	-	-	3	6
Brick in mud	cft	-	1	6	-	2	3
Chunam plastering	sqr	3	-	-	3	8	-
White washing	sqr	-	3	6	-	4	-

True Copy

R. Kallur

Assistant Secretary

Office of the Chief Engineer

of Mysore

Bangalore
4-3-02.

A.V.P.

Nuzzai

Read:-

Correspondence ending with letter No 164, dated 12th September 1901, from the Deputy Commr, Hassan Dt submitting for sanction two alternative Estimates - one for Rs 4,856/-, and the other for Rs 19745/- prepared by the Executive Engineer of the Hassan Dn for repairing the Sri Uttaradi matt building at Holé-Narsipur.

Also

Letter No 1265, dated 4th March 1902, from the Chief Engineer of Mysore, reporting that it will be sufficient for the present to carry out the smaller project of Rs 5066/- (the original one for Rs 4856/- having since been corrected to Rs 5066/- by the Superintending Engineer, W. Circle), which will make

the buildings last for many years, and also stating that the work should be put in hand early, as the buildings is in imminent danger of collapsing—

Order thereon:—

No. 1487 J Enc Estimates
Insp. 10-95 3 Plans
Date 24th March 1902.

The Estimate for Rs 5,066/- is sanctioned, the charge being met from the Jaidik Savings available at the credit of the Insp. in

2. The Chief Engineer is requested to get the have the repairs executed in a substantial manner and under proper supervision, and a completion report submitted to Govt in the Municipal Dept. at an early date.

(Dewan's order) 23/3/02
Dy Secretary

To 24/3/02 Insp: Dept.
The Chief Engineer of Imps, with the sanctioned Estimate and returning the plans. Comp. for with a copy of the Abstract Estimate

The Dy Comm. Hassan Copy

Copy to be sent to His Highness the Sovereign with a Viziyapuram petition.

ప్ర 1563
ఆ 2 6-95
7 4 1902
ఏక : ఆ

శ్రీమల్లికార్జునదేవరచరిత్రాభిధానం
చొప్పున ఇట్లున్నది అనోరగుణాభివన్న
శ్రీమద్రాజమహేంద్రదేవదివ్యశ్రీపాం
చకుద్వారాంధ్రకర్ణాటశ్రీమల్లికార్జున సిద్ధాం
తప్రతిష్ఠాపనాచార్యులు శ్రీమన్మహాధీ
వీరశివభక్తులు శ్రీపాండవతోయిలరవ
రకరకమలసంభవాంశ శ్రీమన్మహాధీ
ధీరశివభక్తులు శ్రీపాండవతోయిలరవరకు
సిద్ధాంగళిగి—

ఆ నిమ్మదర్శంరవిం శివ్భాండళ్ళ
కుంతరకుంకొండ్రద మలుచరంయిల్లలాంబాణ్ణి
ఇం బుద్ధి తేర్పుటిసిశ్రమోరి - యలో - అనంత
సామి రాండ్ మంత్రివశిరసాంక్షింగళసిన్
రశ్రీంగళి- విజ్ఞాపనెగళు—

శ్రీంళ్ళనరశిశ్రీరదళ్ళరువ శ్రీ
లుచ్చిరాది మరదరిభ్రతవు గళళ్ళ జగన్నిరి
యళ్ళరువదల్లది- శ్రీలవల అపాంయిన్నిరి
యళ్ళిలు రువదాంశ ఇంబెరంయుగ్- ఇలాం
బిలుంద బంధదద్దరళ్ళలి, బరుంరాంశిక
బ్రీశల గొద్ద కీలవ్యకింంకారిగళ్ళకాంశ రాంక్ష
రుంశిలుగళ్ళ అందింబరివన్న శ్రీపరదవ్రం
నందనాంశభద్ధరుంతి కదరిసింంశారిలు

ఇంచి సంబంధి గొలాం వంశంశీళ్ళ మం
త్రిచిచిల్ల శీండు కొంరక్ మీంటి సిందప్పుట్టిరావ
మంచిల్ మంచి 23సి మర్యాం 1487-9 సి
Mur: F. 10-95
సంబంధ కొంరక్ మీంట లతర్ధరికింవి ఇందన్న శెల్ల
ధన్నెద్దు సదశరాంబంధిశిబిళ్ళి ఉదశీశ్వాశ-
ళ్ళు శిశులిళ్ళి లసి-

చిళ్ళి లతర్ధరి

(Dewan's order) Fair Draft

తిళ్ళ్ళలిళ్ళిశ్ ఉలి

4.4.1902 చింగళ్ళశాళ్ళ గొల్లిచ్ చిళ్ళి, వలాచిరిందిలాగొలాంబం

W 1563
Sanction 7.10.95
Rs 7 - April 02
Rs 1.

శ్రీమన్మహారాజమహనీయ కరిరాజవరదాన
వితీర్ణవాణీవిభవ అనేకశుభ
దండనాయక శ్రీమద్రామ శంభు
చేలాదివ్య శ్రీపాదపద్మారాధక
దత్త-శ్రీమద్భాష్యవసితిదిగ్విజయ
శ్రీనృసింహాదిసంచితీర్థ శ్రీమాన్య
భవిలతశిచద్రశ్రీపాదవదేయ
రవరదకరణములసంశాంత శ్రీ
మన్మధ్వసిద్ధశ్రీచంద్ర శ్రీపాదవ
రేయరవరధన్యభద్రాంగళిగి

అష్టదశశాంభవీయాగస్థాపక
శ్రీరాఘవేంద్రస్వామికారుణ్యపాత్రులైన
లంబాణి లిద్దంతాంబెద్దశ్రీపతి సోత్రియోరి
యల్- అనంతకార్యమిరాం మంత్రవశీ
కాంతాశ్రీంగళమస్థిరప్రాంతర్లభవిహారాంపదేగళళ్ళ
శ్రీరంగళ్లోసరశేషపురదళ్లినుశ్రీలుక్ష్మీరా
దివరదవక్షస్థలవు ఎంబళ్ళిసినస్థిరియళ్లి
ద్రవిండ, అదరరిసోలిశాంత 5066/- రూపాం
యుగళ్ళ అంబాంతివన్న కాళ్ళకిష్ణమంతి,
సుధీంద్రతీర్థరాంతరియుళ్ళి లంబాణీయర్
ళ్ళాలాంమంతరిపై శ్రీమంత్రిగోళకొండు
శ్రీమదాదిశేషనవతారవెంబ 23నే మళ్ళ

487-9 నేనంతరుశిక్షాకర్తలుంటే క్రిందకర్తరు
F. 10.95

[illegible]

- కోర్టులు శిక్షించుటకై — By order

(Devanis order)

4/4/02

తేది 4. 4. 1902.

చిరునామాలు

తీర్పుపత్రికాసంపుటమును చేరుటకు ఉత్తరువు

1902. 03.

From D Devaraj Urs Esq
Deputy Commissioner
Hassan District

To L. Anantasam Row Esq B. A
Deputy Secretary to the
Government of Mysore
Imp: Department
Bangalore

Dated 20
Despatched 23rd } June 1903.
Received

General No. 606
No. Nil

Enclosure No five.

No 1084

24/6/03

Submitting for sanction
Estimates of the probable
cost of additional
improvements to be
done to the Tree Utradi
Mutt at Hole Narsipur

MGCPB—50 reams.—6-12 02

No. 606
dated

Deputy Commissioner's Office,
Hassan District.
Dated, Hassan, 20th June 1903.

From,

D. Devaraj Urs Esqre.,
Deputy Commissioner.

To

L. Anantasami Row Esqre.,
Deputy Secretary to the
Government of Mysore,
Mysore Department.

Sir

In submitting herewith an Estimate of the probable cost of the additional improvements to be done to the Sree Vedhradi Mutt, at Holé Narsipur, received from the Executive Engineer Hassan Division, I have the honour to state that on the 21st February last, I inspected the Mutt buildings, now under repair and observed that certain additional improvements

improvements, as noted in my inspection notes (copy herein enclosed) had to be done to the building with a view to meet the sanitary requirements and also needful conveniences for those occupying the same. —

2— The Executive Engineer was then addressed to do the needful in the matter. He furnished two Estimates, one for Rs 1182 and the other for Rs 593, the former for the repairs of the Mutt building exclusive of items 4 and 8 of the Inspection notes and the latter for "Valpar-Khana". Item No: 4 is omitted as the alteration was estimated to involve a heavy expenditure

3— I beg to state that the proposed improvements to the

buildings

buildings are very necessary and the Executive Engineer is also of the same opinion vide copy of Docket No: 167 Dated 14th May 1903 herewith forwarded for perusal. As the above revised Estimate does not provide for the improvements now suggested two separate Estimates are therefore now submitted for the sanction, the amount being made from the sum of Rs 29,352-7-4 reported to be available at the credit of the Free Ulfra di mutt at Hole Narsipier. -

I have the honor to be,
Sir
Your most obedient servant

* Sanctioned in Government Proceedings No 1877-9 Dated Mus: & 10-9-5 16th March 1903

From

The Executive Engineer,
Kaesan Division.

To

The Deputy-Commissioner,
Kaesan District.

Dated 14-5-1903

Despatched

Received

General No. 167
No.

Enclosure No. 3

His No. 372 dated 16th March last forwarding certain notes taken by him for the improvement of the Kittradi Mart in Hole-Narsipur.

— a —

With reference to the above, has the honor to inform him that the improvements suggested are all good, but item No. 4 will involve, a heavy

MGCPB—50 1eams—6-12-02.

a heavy outlay and may, therefore, be omitted. An estimate of the Cost of each of the items and the total of the whole is sent herewith for his information, with the suggestion that he would urge their desirability on the Mysore Secretary, and obtain his sanction to carrying them out. A seperate estimate for repairing the Nagarkhana and copy of No. 4 Sub Division Officer No. 164 dated 30th March, are also sent herewith.

Sd. C. A Mahadeva sastry
Executive Engineer
Hassan Division

Copy.

B Ramaswamy

for Deputy Commissioner
Hassan 26 Oct 05

SECRETARY'S OFFICE
Rec'd N
1903

From

The Asst. Executive Engineer

Hole. Narasipur

To,

The Executive Engineer

Hassan District

Dated 30th March 1903

Despatched 7

No 161

In obedience to Executive Engineer's No 1471 dated 26 & 1903 forwarding Copy of Deputy Commissioners Inspection notes on the Utharahalli Tank at Hole Narasipur and calling for a report on the same, I have the honor to submit the following report on the points noted therein

(1) The proposal of adding the Bastion from to the Bhandaram and providing Record Racks would cost Rs 116 as per details below

(2) The removal of Steps in the Maha-dwaram and pulling up the same over the Sluice would cost Rs 12 as per details given in the enclosed Sheet.

(3) The removal of wooden Beams over the Balcony and pulling in of brick Walls

walls we the archways would cost Rs
over the Revised Estimate provision.

(4) Converting the inner bank too into
terrace and walling up the upper story
to admit more light seems to be pro-
-tective wisely & Cathy. For the upper floor
will, if the roof is simply cut off, soon
get damaged as it is all planked the
planked terrace will have to be renewed
as it cannot stand exposure to wet
and making use of the available ~
materials and settling defficiencies
for the terrace will have to be put on
and walls raised all round. This
charge would involve, as Estimated
in the enclosed sheet, Rs 3850. No doubt
this change will largely add to the
Ventilation of the buildings but the cost
seems too high.

(5) There is a desirable necessity which
cost to Rs 105 including the putting up
of fencing in place of the ugly Cadjan
walls which spoiled the appearance
of the halls.

(6) As numbered on the drawing, 52
windows in all are required for the
lower Story out of which there is
provision in the Sanctioned Estimate
for 4 windows and 12 more in the
Revised Estimate and 38 more

windows are very necessary to ensure [illegible]
the dusty [illegible] to some extent
and then [illegible]
Cost [illegible]

7- [illegible]
[illegible]
[illegible]

(a) [illegible]
[illegible]
[illegible]
[

of the Mutt and repairs to the existing damages would cost Rs 260 as per detail.

In addition to the improvements proposed above, when the rooms in the lower Story are better lighted and Ventilated it seems necessary to floor the rooms with good concrete as was done to the upper Story and plastered over, but the Cost would be large as detailed in the Estimate enclosed.

The total amount as shown in the abstract and this amount will be in excess of the provisions made in the last Revised Estimate Submitted for Sanction.

(Sd) M a Anandalwar
Sub. Assistant Engineer
Hole-Narasipur

"Copy"

(A. Ananthamurthy)
Executive Engineer
Hassan Division

SECRETARY'S OFFICE,
Reg'd No
1903

Deputy Commissioner's
Inspection Notes on Sri Yuttraji Matt
repairs at Hole Narsipur - 21-2-04.

The wooden railings (5 & 8 & 3 sq
of the present Sarnewah Bhandara
to be removed, and the adjacent
Eastern room to be converted into
"Bhandara" with wooden shelves &c
for books.

2. Two obstructing steps in the
"Mahadwara" to be removed and
steps provided to mount up the "gaghi"
by knocking down the western wall.

3. On the "Mahadi" the old wooden
bow-window to be removed and
an arch with a 2' parapet wall
put up instead.

4. Half the mahadi all round
to be converted into an opening to
allow light to the other half, and
a wall with window to be put up
along side the pillars.

5—

5. Two doors at present at top of steps to be brought down and placed near the bottom step.

6 About 24 windows to be provided all round to dark rooms.

7. Cross walls of small rooms to be knocked down and rooms made bigger.

8 The "Vaigarkhana" building opposite the Kutt to be repaired.

9. It is desirable to put up a Compound wall to the north of the Kutt along side the newly made road.

(Sd.) V. Devarajulu
Deputy Commissioner
Hassan District

"Copy"

S. Ramaswamy
for Deputy Commissioner
Hassan District

Rev

Appendix (T.B.D.)

Estimate of the probable cost of the Additional improvements at Faradi Mutt Hale Ramapuram Taluk Hassan District.

SEC... Received No ... Date JUL 1903 MYSORE P. W. DEPT.

Particulars of Work	No.	Dimensions			Total Qty	Per	Rate			Cost	Total
Improvements to Bhandara (1)											
(a) Dismantling the undermining wall between Bhandara and the east room	1	10	2	10	200						
Total cft						200	cft	.	.	4	4
Brick with Mud wall	1	8	1'' 8	11'' 2	103						
Total cft						103	cft	.	2	8	12
Plastering with Chunnam	2	8	1.2	.	192						
Total Sqs:						1.92	Sqs.	3	.	.	6
(b) Providing Racks for books. Bk Stands	4	10	1'' 2	16''	60						
Total Rft						60	Rft	.	6	.	22
Iron cross pieces or angles	1	12	7		84						
Total Rft						84	Rft	.	6	.	31
Soldering & fixing &c Planks	1/2		6''			12	Each		12	.	9
	6	6'' 2	1'' 2	1'' 2	7'' 2						
Total cft						7'' 2	cft	3	8	.	26
Carving Stone & Japanning iron &c	1/2			R							1
Tal.											116

Removing Steps in the Back Square (11)													
Woman Ring walls.	2	7	1 3/4	1	98	98	cft	.	.	1	2		
Building up do into arches.	2	.	.	.	.	2	Each	1	.	.	2		
Steps Slabs.	2×2	×	3×1½		18	18	Sft	.	6	.	6		
Building Below Steps	2									R.	2		
Total													12
Removing & Refixing Doors. (12)													
Removing the 2 Doors and refixing them Below Staircase	2	1	6								5		
Brick in Mud wall to sides	2	10	1½	10	300								
deduct Doors	2	6	3	1½	54								
Balance						246	cft	.	2	3	34		
Planking on Ad Common	2×2	10	10	.	400	1,00 & 200		3	.	.	12		
Wooden Railing round the Staircase	2	20	2½	4	100	100	Lft	.	8	.	50		
Total													101
Providing Saw Windows. Besides 12 Windows provided for 38 Windows are required. (Scaffolding)	38	2	3½	.	266	266	Sft	1	8	.	399		
Inserting those with Sill & Lintel					38	38	Lin	5	.	.	190		
Total													589
Enclosure ~~Entrance~~ wall including Foundation (14)	1	250	1½	9	3375	3375	cft	.	.	6	105		
Coping with Tiles & Common	1	250	3½	.	875	875	Lin	18	.	.	130		
Repairs Lane & Them	R.	&	R.								25		
Total													26



Kenyons P. W. D

Assam Division

Estimate of the probable cost of the additional improvements to the Silchar Aizawl Road at Hale Haflong from Assam District.

Amount of estimate 1182/-

Alternative estimate for Repairing the Bagauk Lane connecting the Lii Atandi Bulk at Hola Banisper Garsan District

Particulars of Work	No.	Dimens			Cubic	Total	Rate	Data		cost	Total
Repairing the Bagauk lane row. (V. Wood)	5	13½	8	10	38	38	ft	3	. .	114	
Beams	4										
Joists (old)	4×4	6	4	6	16						
Pillars (do)	1	6	6	6	6						
Corbels & bases (do)	8	1	1	6½	4						
Brasum run (New)	X					26	ft	1	8 .	39	
	1	25	1	7½	16	16	ft	3	. .	48	
Planking	1	23	12	2 .	276	276	sft	.	4 .	69	
Pointing	1	76	12	.	912						
do	1	25	4	.	100	10·12	Lpr.	2	. .	20	
Removing old earth walls	1	25	25	12	7500	278	cyd	-	2 .	36	
Removing Laterite walls.	1	71	7	.	497						
Removing Roof	2	27½	13	10·	420						
Lids	2	18	2	10	180						
do — at entrance	1	9	8	.	72	4·69	Lpr.	.	8 .	6	
Removing beams, purlins	L.S.									50	
Raising Mud walls. (details as per Remarks above)						762	ft	.	1 .	48	
Mud for last item.	2	71	7	.	994						

Mysore P. W. Dept.



Hassan Division

Alternative estimate for repairing the Anjaneya Channel in the Arkeri Tank at Hole-Narsipur

Amount of estimate Rs 593/-

MUZRAI

1902 —1903

From,
The DEPUTY SECRETARY,
GOVERNMENT OF MYSORE,
MUZRAI DEPARTMENT.

To
The Chief Engineer,
of Mysore.

Dated 2nd July '03.
Despatched
Received
General No. 20 & 21
Muzrai F. No. 10-95
Enclosure No. 6

I forwarding herewith a/d letter No 606 dated the 20th instant from the Dy Comr, Kanara Dt and its enclosures in original (to be obliginly returned when done with) have the honor to request the Chief Engineer to favour Govt with his opinion as to the improvements proposed by the Deputy Commissioner in his letter, ref'd to above, & the

MGOPB—2,000—7-6-02

the Sir Uttar ali Khatt
building now under
repairs by the P.W.D.
at Kalabagh jetty.

By order

D/C. 1/7/03

Dy Secretary
Murree Deptt

25
29/6/03

Copy to the D.C. with ref: to
his letter.

0.35574

8.7.03
27

1903-04

FROM The Chief Engineer & Secy to Govt
of Mysore

To The Deputy Secretary
to Govt of Mysore
Irrigation Department

Dated Bangalore 7th July 1903.

Despatched

Received ✓

General No. 3574
No.

Enclosure No. 2 Estimates
3 References
5

Rec'd
8/7/03

W.l. wl. / Dft as per Devaswom

MUZRAI SECRETARIAT.

19 —19

From

L. ANANTASAMI RAO, Esq., B.A.,
DEPUTY SECRETARY TO THE
GOVERNMENT OF MYSORE,
MUZRAI DEPARTMENT.

To

The Dy Commr
Hassan Dt

Dated 17th Oct 1903

Despatched

Received

General No. 900
Muzrai F. No. 10-95

Enclosure No.

Govt Ro. No. 1877-9 Muz 7 10-95 dated 16th March 1903 sanctioning a revised project amounting to Rs 9,690/- for repairing the Sri Uttaradi Matt building at Holenarasipur

It has been brought to the notice of Govt that the work as carried out is on the whole very unsatisfactory

MGOPB—1,000—21-7-03.

The Dy Comm: is requested to kindly send up a report on the present state of the Matt building within the next fortnight.

By order

27/10/03

D. Stevenson

Dy Comm: of Works

27/10/03

D. O. Dated 18-12-03

To,

D Devaraja Urs Esquire,

Deputy Comr.,

Hassan.

My dear Sir, M/s Devaraj Urs

I beg to invite your attention to this Office Docket No 900 Dy 28th October 1903 calling for report on the present State of the Sri Uttaradi matt building at Holenarsipur within the ~~next~~ a fortnight

I request you to be good enough to send me the report called for at an early date.

Hoping you are well.

Yours Sincerely

17/12/03

hs
17/12/03





1903. 04.

FROM D. Devaraj Urs Esqr
Deputy Commissioner,
Hassan District

To C. Anantasamiah Avl B.A.,
Deputy Secretary to the
Government of Mysore
Muzarai Department.

Dated 9.
Despatched 11. } January 1904.
Received

General No. 331
No. dear

Enclosure No. nil.

In reply to No. 900 & 928 Colly 03
10-95

Submitting a report on the present condition of the Uberadi mutt building at Hole Narsipur. —

No. 331
Secy

Deputy Commissioner's Office
Hassan District
Dated Hassan 9th January 1904

From

D. Devarajaiya Esquire,
Deputy Commissioner,
Hassan District

To

L. Anantasami Rao Esqr., B.A
Deputy Secretary to the
Government of Mysore
Muzrai Department.

Sir,

With reference to your Docket No. 900/10-95 dated 28th October last, calling for a report on the present condition of the attradi matt building at Hole-Narsipur, I have the honor to report that on three occasions I inspected the matt, first when the repairs to the matt had begun to be executed, then when they were nearing completion

cracked may be removed to the extent of one anikanam and rebuilt and that by the side of the beams eaten by white-ants and partly burnt, new ones may be placed to support the roof. The defects pointed above could not be provided for in the original estimate as some of them were discovered only when the repairs were being carried out and could not be foreseen at the time the estimates were prepared. The defects which are now observable in the building are due to absence of provision for them in the original estimate and not to the carrying out of the work in an unsatisfactory manner.

3. It may further be stated here that the building being a very old, huge rotten one, all the defects in it were not discovered at the time of the original estimate. It

was

was on this account that when I first inspected the building in 1901, I considered that the smaller estimate for Rs 4856/- which has since been revised for Rs 9690/- would be mere makeshifts and that it was very desirable to have a new building instead though the proposal was somewhat costly.

4 — I beg to add that Government will be pleased to accord their sanction not only to the improvements brought to the notice of Government in my Letter No. 606 dated 20th June 1903 but also to the cost of rectifying the defects pointed out by me in my last inspection of the building. Another lumpsum of Rs 100/- may also be provided for cleaning the compound which is in a very insanitary condition.

conditions and for filling a big pit in the compound and for the construction of a drain.

5. In conclusion, I venture to add that the repairs which have now been carried have been satisfactory to the extent of the revised estimate sanctioned for the purpose and that the representation to Government as to the same being unsatisfactory, it is due to party feeling which is rampant in Hole-Narsipur.

I have the honor to be,

Sir,

Your most obedient servant

Deputy Commissioner,
Hassan District.

MUZRAI

19 —19

FROM

To

The Chief Engineer of Ellypore

Dated

Despatched

Received

General No
Muzrai F. No.

Enclosure

Sir,

With reference to your letter No 3574 dated 7th July 19[illegible] approving of the proposals made by the Deputy Commissioner of the Hassan District for the improvements of the Sri Uttarade Matt buildings at Hole-Narsipur, I am directed to state that the Nagar Khana of the Matt is in ruins and being situated on a mound opposite to it in the main street presents a very unsightly appearance. As mere repairs to it will not be sufficient to remedy the above defect I am to request that you will [illegible]

MGCPB—2,000—9-6 02

so as to favor me with an
estimate for building a room
over, providing a Nagarkhana
the top of it.

I am to add that the
round the said Matt building
wire clearing and levelling and
has to be
large pit in it being filled up.
I am to request that
plates for these latter works
be also be kindly forwarded
Accd

Have &c,

Dewan's order) 14/12/04

Secretary,
Mun's Deptt

Copy is forwarded to the Deputy
Commr, Hassan Dt, with ref ce
letter no 606 dated 20th June 1903.

By Order,

Secretary,
Mun's Deptt